

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Tork Constant Air Freshener Breeze

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : perfumes

Recommended restrictions  
on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Distributor and authorization holder  
ESSITY UK LTD  
Southfields Road, LU6 3EJ, Dunstable, United Kingdom  
'+44 1582 677570  
Phone number for emergencies: 999 or 112. The numbers are available 24/7.  
info@essity.com

Manufacturer (according to REGULATION (EU) 2023/988 article 3 (8))  
Essity Hygiene and Health AB  
Mölnåls Bro 2, 431 31, Mölndal, Sweden  
+46 (0)31 746 00 00

E-mail address of person  
responsible for the SDS : info@essity.com

#### 1.4 Emergency telephone number

Phone number for emergencies: 999 or 112. The numbers are available 24/7.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET


According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves. <b>Response:</b> P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Lavender, *Lavandula hybrida*, ext.  
p-tert-Butylcyclohexyl Acetate  
Undec-10-enal  
4-Allyl-2- methoxyphenol  
Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde  
3,7-Dimethyl 2,6-octadienal  
2-Methyldecan-1-al  
Undecenal  
Cineole  
(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one  
Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1      Revision Date: 02.06.2025      SDS Number: 11448231-00002      Date of last issue: 08.10.2024  
Date of first issue: 08.10.2024

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
methyl benzoate	93-58-3 202-259-7 01-2119969268-21	Acute Tox. 4; H302	$\geq 1 - < 10$
2,2-Dimethyl 7-octen-2-ol	18479-58-8 242-362-4 01-2119457274-37	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336	$\geq 1 - < 10$
Allyl (cyclohexyloxy)acetate	68901-15-5 272-657-3 01-2120770514-54	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	$\geq 1 - < 2.5$
Ionone, methyl-	1335-46-2 215-635-0 01-2119471851-35	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2; H411	$\geq 1 - < 2.5$
Lavender, Lavandula hybrida, ext.	93455-96-0 294-470-6 01-2120736147-55	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	$\geq 1 - < 2.5$
p-tert-Butylcyclohexyl Acetate	32210-23-4 250-954-9 01-2119976286-24	Skin Sens. 1B; H317	$\geq 1 - < 10$
Undec-10-enal	112-45-8 203-973-1 01-2119980959-11	Skin Sens. 1B; H317 Aquatic Chronic 3; H412	$\geq 0.25 - < 1$
Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6  605-043-00-4	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 2; H411	$\geq 0.25 - < 1$
4-Allyl-2-methoxyphenol	97-53-0 202-589-1 01-2119971802-33	Eye Irrit. 2; H319 Skin Sens. 1B; H317	$\geq 0.1 - < 1$
3,7-Dimethyl 2,6-octadienal	5392-40-5 226-394-6 605-019-00-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	$\geq 0.1 - < 1$

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1      Revision Date: 02.06.2025      SDS Number: 11448231-00002      Date of last issue: 08.10.2024  
Date of first issue: 08.10.2024

2-Methyldecan-1-al	01-2119462829-23 19009-56-4 242-745-6	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 2; H411	$\geq 0.25 - < 1$
Undecenal	Not Assigned 01-2120065933-50	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 2; H411	$\geq 0.1 - < 0.25$
(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	24720-09-0 246-430-4 01-2120105799-47	Acute Tox. 4; H302 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	$\geq 0.1 - < 0.25$
Cineole	470-82-6 207-431-5 01-2119967772-24	Flam. Liq. 3; H226 Skin Sens. 1B; H317	$\geq 0.1 - < 1$
Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one	56973-85-4 01-2120739840-52	Skin Sens. 1B; H317 Aquatic Chronic 2; H411	$\geq 0.1 - < 0.25$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1	Revision Date: 02.06.2025	SDS Number: 11448231-00002	Date of last issue: 08.10.2024 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	-------------------------------------------------------------------

- |                         |   |                                                                                                                                                                                                              |
|-------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of skin contact | : | In case of contact, immediately flush skin with plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |
| In case of eye contact  | : | Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.                                                                                                         |
| If swallowed            | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water.                                                                                      |

### 4.2 Most important symptoms and effects, both acute and delayed

- |       |   |                                      |
|-------|---|--------------------------------------|
| Risks | : | May cause an allergic skin reaction. |
|-------|---|--------------------------------------|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                                         |
|-----------|---|-----------------------------------------|
| Treatment | : | Treat symptomatically and supportively. |
|-----------|---|-----------------------------------------|

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                |   |                                                                                            |
|--------------------------------|---|--------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet                                                                      |

### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |                                                                                                                                                                                                                                      |
|---------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specific hazards during fire-fighting | : | Do not use a solid water stream as it may scatter and spread fire.<br>Flash back possible over considerable distance.<br>Vapours may form explosive mixtures with air.<br>Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products         | : | Carbon oxides                                                                                                                                                                                                                        |

### 5.3 Advice for firefighters

- |                                               |   |                                                                                                                                                                                                                           |
|-----------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.                                                                                                                      |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

so.  
Evacuate area.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Keep tightly closed.  
Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Explosives  
Gases
- Recommended storage temperature : 10 - 30 °C

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
methyl benzoate	Workers	Inhalation	Long-term systemic	39.3 mg/m3

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1      Revision Date: 02.06.2025      SDS Number: 11448231-00002      Date of last issue: 08.10.2024  
Date of first issue: 08.10.2024

			effects	
	Workers	Skin contact	Long-term systemic effects	11 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	9.68 mg/m3
	Consumers	Skin contact	Long-term systemic effects	5.57 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5.57 mg/kg bw/day
2,2-Dimethyl 7-octen-2-ol	Workers	Inhalation	Long-term systemic effects	24.7 mg/m3
	Workers	Skin contact	Long-term systemic effects	7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4.35 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2.5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2.5 mg/kg bw/day
Ionone, methyl-	Workers	Inhalation	Long-term systemic effects	29.4 mg/m3
	Workers	Skin contact	Long-term systemic effects	8.33 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8.7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2.5 mg/kg bw/day
Lavender, Lavandula hybrida, ext.	Workers	Inhalation	Long-term systemic effects	0.877 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.249 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.132 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.0889 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.0889 mg/kg bw/day
Undec-10-enal	Workers	Inhalation	Long-term systemic effects	16.4 mg/m3
	Workers	Dermal	Long-term systemic effects	4.67 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2.47 mg/m3
	Consumers	Dermal	Long-term systemic effects	1.67 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1.67 mg/kg bw/day
4-Allyl-2- methoxy-phenol	Workers	Inhalation	Long-term systemic effects	21 mg/m3
	Workers	Skin contact	Long-term systemic effects	6 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1      Revision Date: 02.06.2025      SDS Number: 11448231-00002      Date of last issue: 08.10.2024  
Date of first issue: 08.10.2024

			effects	bw/day
	Consumers	Inhalation	Long-term systemic effects	5.22 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3 mg/kg bw/day
3,7-Dimethyl 2,6-octadienal	Workers	Inhalation	Long-term systemic effects	9 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.7 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.140 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	2.7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.140 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	0.6 mg/kg bw/day
Undecenal	Workers	Inhalation	Long-term systemic effects	3.82 mg/m3
	Workers	Inhalation	Acute systemic effects	3.82 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.08 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.942 mg/m3
	Consumers	Inhalation	Acute systemic effects	0.942 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.542 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.542 mg/kg bw/day
(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	Workers	Inhalation	Long-term systemic effects	2.74 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.78 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.67 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.39 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.39 mg/kg bw/day
Cineole	Workers	Inhalation	Long-term systemic effects	7.05 mg/m3
	Workers	Skin contact	Long-term systemic effects	2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.74 mg/m3

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1      Revision Date: 02.06.2025      SDS Number: 11448231-00002      Date of last issue: 08.10.2024  
Date of first issue: 08.10.2024

	Consumers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	600 mg/kg bw/day
Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one	Workers	Inhalation	Long-term systemic effects	6.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.75 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.232 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	1.83 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1.05 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.116 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	1.05 mg/kg bw/day

### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
methyl benzoate	Fresh water	0.023 mg/l
	Marine water	0.0023 mg/l
	Intermittent use/release	0.23 mg/l
	Sewage treatment plant	8.15 mg/l
	Fresh water sediment	0.492 mg/kg
	Marine sediment	0.0492 mg/kg
	Soil	0.085 mg/kg
2,2-Dimethyl 7-octen-2-ol	Fresh water	0.0278 mg/l
	Freshwater - intermittent	0.278 mg/l
	Marine water	0.00278 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.594 mg/kg dry weight (d.w.)
	Marine sediment	0.059 mg/kg dry weight (d.w.)
	Soil	0.103 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	111 mg/kg food
Ionone, methyl-	Fresh water	0.0023 mg/l
	Marine water	0.00023 mg/l
	Intermittent use/release	0.023 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.246 mg/kg
	Marine sediment	0.0246 mg/kg
	Soil	0.0477 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1      Revision Date: 02.06.2025      SDS Number: 11448231-00002      Date of last issue: 08.10.2024  
Date of first issue: 08.10.2024

Lavender, Lavandula hybrida, ext.	Fresh water	2.9 µg/l
	Freshwater - intermittent	29 µg/l
	Marine water	0.29 µg/l
	Sewage treatment plant	4.15 mg/l
	Fresh water sediment	0.247 mg/kg dry weight (d.w.)
	Marine sediment	0.0247 mg/kg dry weight (d.w.)
	Soil	0.0477 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	7.8 mg/kg food
p-tert-Butylcyclohexyl Acetate	Fresh water	0.0053 mg/l
	Marine water	0.00053 mg/l
	Freshwater - intermittent	0.053 mg/l
	Sewage treatment plant	12.2 mg/l
	Fresh water sediment	2.01 mg/kg dry weight (d.w.)
	Marine sediment	0.21 mg/kg dry weight (d.w.)
	Soil	0.42 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	66.67 mg/kg food
Undec-10-enal	Fresh water	20.1 µg/l
	Marine water	2.01 µg/l
	Sewage treatment plant	0.625 mg/l
	Fresh water sediment	94.5 mg/kg dry weight (d.w.)
	Marine sediment	9.45 mg/kg dry weight (d.w.)
	Soil	18.9 mg/kg dry weight (d.w.)
4-Allyl-2- methoxyphenol	Fresh water	0.00113 mg/l
	Marine water	0.000113 mg/l
	Fresh water sediment	0.081 mg/kg
	Marine sediment	0.0081 mg/kg
	Soil	0.0155 mg/kg
3,7-Dimethyl 2,6-octadienal	Fresh water	0.007 mg/l
	Freshwater - intermittent	0.068 mg/l
	Marine water	0.001 mg/l
	Sewage treatment plant	1.6 mg/l
	Fresh water sediment	0.125 mg/kg dry weight (d.w.)
	Marine sediment	0.013 mg/kg dry weight (d.w.)
	Soil	0.021 mg/kg dry weight (d.w.)
2-Methyldecan-1-al	Fresh water	0.001819 mg/l
	Freshwater - intermittent	0.01819 mg/l
	Marine water	0.000181 mg/l
	Marine water - intermittent	0.01819 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1      Revision Date: 02.06.2025      SDS Number: 11448231-00002      Date of last issue: 08.10.2024  
Date of first issue: 08.10.2024

	Sewage treatment plant	15.9 mg/l
	Fresh water sediment	1.45 mg/kg dry weight (d.w.)
	Marine sediment	0.145 mg/kg dry weight (d.w.)
	Soil	0.288 mg/kg dry weight (d.w.)
Undecenal	Fresh water	0.001 mg/l
	Freshwater - intermittent	0.011 mg/l
	Marine water	110 ng/l
	Marine water - intermittent	0.011 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.256 mg/kg dry weight (d.w.)
	Marine sediment	0.043 mg/kg dry weight (d.w.)
	Soil	0.074 mg/kg dry weight (d.w.)
(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	Fresh water	0.658 µg/l
	Freshwater - intermittent	6.58 µg/l
	Marine water	0.066 µg/l
	Sewage treatment plant	3.2 mg/l
	Fresh water sediment	0.064 mg/kg dry weight (d.w.)
	Marine sediment	0.006 mg/kg dry weight (d.w.)
	Soil	0.012 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	6.67 mg/kg food
Cineole	Fresh water	0.057 mg/l
	Marine water	0.0057 mg/l
	Intermittent use/release	0.57 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1.425 mg/kg
	Marine sediment	0.1425 mg/kg
	Soil	0.25 mg/kg
	Oral (Secondary Poisoning)	133 mg/kg food
Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one	Fresh water	4.2 µg/l
	Marine water	0.42 µg/l
	Sewage treatment plant	4.6 mg/l
	Fresh water sediment	1.2 mg/kg dry weight (d.w.)
	Marine sediment	0.12 mg/kg dry weight (d.w.)
	Soil	0.24 mg/kg dry weight (d.w.)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety glasses  
Equipment should conform to BS EN 166

#### Hand protection

Material : Chemical-resistant gloves  
Break through time : > 10 min  
Guideline : Equipment should conform to BS EN 374

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Filter should conform to BS EN 14387

Filter type : Organic vapour type (A)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid  
Colour : red  
Odour : fruity  
Odour Threshold : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1	Revision Date: 02.06.2025	SDS Number: 11448231-00002	Date of last issue: 08.10.2024 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	-------------------------------------------------------------------

pH	:	substance/mixture is non-soluble (in water)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	64 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.5261 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.9413 g/cm <sup>3</sup> (20 °C)
Solubility(ies) Water solubility	:	practically insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Particle size	:	Not applicable
---------------	---	----------------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Combustible liquid.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **methyl benzoate:**

Acute oral toxicity : LD50 (Rat): 1,625 mg/kg  
Method: OECD Test Guideline 401

##### **2,2-Dimethyl 7-octen-2-ol:**

Acute oral toxicity : LD50 (Rat): 3,020 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### **Allyl (cyclohexyloxy)acetate:**

Acute oral toxicity : LD50 (Rat): 620 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

### **Ionone, methyl-:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### **Lavender, Lavandula hybrida, ext.:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### **p-tert-Butylcyclohexyl Acetate:**

Acute oral toxicity : LD50 (Rat): 3,323 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 4,680 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Undec-10-enal:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 423  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:**

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

### **4-Allyl-2-methoxyphenol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 1,500 - 3,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 2.6 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Exposure time: 4 h  
Test atmosphere: dust/mist

### 3,7-Dimethyl 2,6-octadienal:

Acute oral toxicity : LD50 (Rat, female): 4,895 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.68 mg/l  
Exposure time: 7 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 2,250 mg/kg

### 2-Methyldecan-1-al:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420

### Undecenal:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 1 - 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

Acute oral toxicity : LD50 (Rat, female): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rat, female): 2,150 - 2,780 mg/kg

### Cineole:

Acute oral toxicity : LD50 (Rat, female): 4,300 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### **methyl benzoate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **2,2-Dimethyl 7-octen-2-ol:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

Result : Skin irritation

#### **Allyl (cyclohexyloxy)acetate:**

Species : Rabbit  
Result : No skin irritation

#### **Ionone, methyl-:**

Species : Rabbit  
Result : Skin irritation

#### **Lavender, Lavandula hybrida, ext.:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **p-tert-Butylcyclohexyl Acetate:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

Result : No skin irritation

#### **Undec-10-enal:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
Remarks	:	Based on data from similar materials

### 4-Allyl-2-methoxyphenol:

Species	:	Rabbit
Result	:	Mild skin irritation

### 3,7-Dimethyl 2,6-octadienal:

Species	:	Rabbit
Result	:	Skin irritation

### 2-Methyldecan-1-al:

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 431

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 439

Result	:	Skin irritation
--------	---	-----------------

### Undecenal:

Species	:	Rabbit
Result	:	Skin irritation
Remarks	:	Based on data from similar materials

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

Species	:	Rabbit
Result	:	No skin irritation

### Cineole:

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 439

Result	:	No skin irritation
--------	---	--------------------

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### Components:

#### **methyl benzoate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### **2,2-Dimethyl 7-octen-2-ol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

#### **Allyl (cyclohexyloxy)acetate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

#### **Ionone, methyl-:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days
Remarks	:	Based on data from similar materials

#### **Lavender, Lavandula hybrida, ext.:**

Result	:	Irritation to eyes, reversing within 21 days
Remarks	:	Based on data from similar materials

#### **p-tert-Butylcyclohexyl Acetate:**

Species	:	Rabbit
Result	:	No eye irritation

#### **Undec-10-enal:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### **Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:**

Species	:	Rabbit
Method	:	Draize Test
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

#### **4-Allyl-2-methoxyphenol:**

Species	:	Rabbit
Method	:	Draize Test
Result	:	Irritation to eyes, reversing within 21 days

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### 3,7-Dimethyl 2,6-octadienal:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

### 2-Methyldecan-1-al:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Result	: No eye irritation

### Undecenal:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Remarks	: Based on data from similar materials

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

Species	: Rabbit
Result	: No eye irritation

### Cineole:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Result	: No eye irritation

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### methyl benzoate:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative

### 2,2-Dimethyl 7-octen-2-ol:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

### Allyl (cyclohexyloxy)acetate:

Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

### Ionone, methyl-:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

### Lavender, Lavandula hybrida, ext.:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--------------------------------------------------------------------------------

### p-tert-Butylcyclohexyl Acetate:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--------------------------------------------------------------------------------

### Undec-10-enal:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--------------------------------------------------------------------------------

### Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : positive  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### 4-Allyl-2- methoxyphenol:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### 3,7-Dimethyl 2,6-octadienal:

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

### 2-Methyldecan-1-al:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### Undecenal:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### Cineole:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### methyl benzoate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

#### 2,2-Dimethyl 7-octen-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

---

Result: negative

### **Allyl (cyclohexyloxy)acetate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

### **Ionone, methyl-:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Lavender, Lavandula hybrida, ext.:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: in vitro micronucleus test  
Method: OECD Test Guideline 487  
Result: negative  
Remarks: Based on data from similar materials

### **p-tert-Butylcyclohexyl Acetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

### **Undec-10-enal:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### 4-Allyl-2- methoxyphenol:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mam-  
malian cells  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-  
thesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Test Type: Unscheduled DNA synthesis (UDS) test with  
mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### 3,7-Dimethyl 2,6-octadienal:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-  
malian cells  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### 2-Methyldecan-1-al:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test  
Method: OECD Test Guideline 487  
Result: negative  
Remarks: Based on data from similar materials

### Undecenal:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: in vitro micronucleus test  
Method: OECD Test Guideline 487  
Result: negative

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

### Cineole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 490  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### Carcinogenicity

Not classified based on available information.

### Components:

#### 4-Allyl-2- methoxyphenol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

#### 3,7-Dimethyl 2,6-octadienal:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	104 - 105 weeks
Result	:	negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### methyl benzoate:

Effects on fertility	:	Test Type: Four-generation reproduction toxicity study
		Species: Rat
		Application Route: Ingestion
		Result: negative
		Remarks: Based on data from similar materials

Effects on foetal development	:	Test Type: Embryo-foetal development
		Species: Mouse
		Application Route: Ingestion
		Result: negative
		Remarks: Based on data from similar materials

#### 2,2-Dimethyl 7-octen-2-ol:

Effects on foetal development	:	Test Type: Embryo-foetal development
		Species: Rat
		Application Route: Ingestion
		Result: negative
		Remarks: Based on data from similar materials

#### Allyl (cyclohexyloxy)acetate:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study
		Species: Rat
		Application Route: Ingestion
		Method: OECD Test Guideline 415
		Result: negative
		Remarks: Based on data from similar materials

Effects on foetal development	:	Test Type: Embryo-foetal development
-------------------------------	---	--------------------------------------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version 1.1	Revision Date: 02.06.2025	SDS Number: 11448231-00002	Date of last issue: 08.10.2024 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	-------------------------------------------------------------------

ment

Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### **Ionone, methyl-:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal develop-  
ment : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **p-tert-Butylcyclohexyl Acetate:**

Effects on foetal develop-  
ment : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Undec-10-enal:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the  
reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal develop-  
ment : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### **4-Allyl-2- methoxyphenol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal develop-  
ment : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Remarks: Based on data from similar materials

### 3,7-Dimethyl 2,6-octadienal:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: negative

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: negative

### 2-Methyldecan-1-al:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the  
reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the  
reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

### Undecenal:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the  
reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the  
reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

---

Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### Cineole:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 421  
Result: negative

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### STOT - single exposure

Not classified based on available information.

### Components:

#### 2,2-Dimethyl 7-octen-2-ol:

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### Repeated dose toxicity

#### Components:

##### **2,2-Dimethyl 7-octen-2-ol:**

Species	: Rat
LOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

##### **Allyl (cyclohexyloxy)acetate:**

Species	: Rat
NOAEL	: > 214 mg/kg
Application Route	: Ingestion
Exposure time	: 1 yr
Remarks	: Based on data from similar materials

##### **Ionone, methyl-:**

Species	: Rat
NOAEL	: 50 mg/m3
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 90 Days

##### **p-tert-Butylcyclohexyl Acetate:**

Species	: Rat
NOAEL	: > 300 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407
Remarks	: Based on data from similar materials

##### **Undec-10-enal:**

Species	: Rat
NOAEL	: 138.6 mg/kg
LOAEL	: 382.3 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

##### **Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:**

Species	: Rat
NOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### 4-Allyl-2- methoxyphenol:

Species	: Mouse
NOAEL	: 450 mg/kg
LOAEL	: 900 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

### 3,7-Dimethyl 2,6-octadienal:

Species	: Rat, female
LOAEL	: 335 mg/kg
Application Route	: Ingestion
Exposure time	: 14 Weeks

### 2-Methyldecan-1-al:

Species	: Rat
	: $\geq 1000$ mg/kg
Application Route	: Ingestion
Exposure time	: 28 - 48 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

### Undecenal:

Species	: Rat
NOAEL	: $\geq 1,000$ mg/kg
Application Route	: Ingestion
Exposure time	: 63 Days
Method	: OECD Test Guideline 422

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

Species	: Rat
LOAEL	: $> 100$ mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

### Cineole:

Species	: Rat
NOAEL	: 600 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Species	: Rat
NOAEL	: 42 mg/kg
LOAEL	: 137 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Application Route : Ingestion  
Exposure time : > 90 Days

### Aspiration toxicity

Not classified based on available information.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **methyl benzoate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 23 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 111.9 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to microorganisms : EC50 : 815 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

##### **2,2-Dimethyl 7-octen-2-ol:**

Toxicity to fish : LC50 : > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 38 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 80 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

##### **Allyl (cyclohexyloxy)acetate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.205 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

		Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 6.09 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 69.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Pseudokirchneriella subcapitata (green algae)): 30.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 3.2 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1

### Ionone, methyl-:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 2.3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.42 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 9.42 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): > 9.42 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 10,000 mg/l Exposure time: 16 h

### Lavender, Lavandula hybrida, ext.:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	----------------------------------------------------------------------------------------------------------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### **p-tert-Butylcyclohexyl Acetate:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 8.6 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5.3 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 22 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

EC10 (Desmodesmus subspicatus (green algae)): 11 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to microorganisms : EC10 : 122 mg/l  
Exposure time: 3 h

### **Undec-10-enal:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1.77 - 2.66 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5.2 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.18 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Toxicity to microorganisms : EC50 (activated sludge): 60 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 1.64 mg/l  
Exposure time: 30 d  
Species: Danio rerio (zebra fish)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

### 4-Allyl-2- methoxyphenol:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 13 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.05 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 23 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Method: OECD Test Guideline 201

### 3,7-Dimethyl 2,6-octadienal:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 6.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 103.8 mg/l Exposure time: 72 h  EC10 (Desmodesmus subspicatus (green algae)): 3 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 (activated sludge): 160 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

### 2-Methyldecan-1-al:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 31.8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC10 (Pseudokirchneriella subcapitata (green algae)): 6.15 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  ErC50 (Pseudokirchneriella subcapitata (green algae)): 30.5 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 : 15.9 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

### Undecenal:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 1.3 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

aquatic invertebrates                      Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to microorganisms                : EC10 (activated sludge): 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:**

Toxicity to fish                                : LC50 (Oryzias latipes (Japanese medaka)): 0.628 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other               : EC50 (Daphnia magna (Water flea)): 2.37 mg/l  
aquatic invertebrates                      Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic                    : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 4.56 mg/l  
plants                                              Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.768 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-               : 1  
icity)

M-Factor (Chronic aquatic                  : 1  
toxicity)

### **Cineole:**

Toxicity to fish                                : LC50 (Oncorhynchus mykiss (rainbow trout)): 57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other               : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates                      Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic                    : EC50 (Pseudokirchneriella subcapitata (green algae)): > 74 mg/l  
plants                                              Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 37 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms                : EC50 : > 100 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Exposure time: 3 h  
Method: OECD Test Guideline 209

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 4.2 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 6.5 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201  EC10 (Raphidocelis subcapitata (freshwater green alga)): 2.4 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 (activated sludge): 25 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

## 12.2 Persistence and degradability

### Components:

#### **methyl benzoate:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 62 % Exposure time: 29 d Method: Directive 67/548/EEC Annex V, C.4.C.
------------------	---	-------------------------------------------------------------------------------------------------------------------------------

#### **2,2-Dimethyl 7-octen-2-ol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 72 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	-------------------------------------------------------------------------------------------------------------------

#### **Allyl (cyclohexyloxy)acetate:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 27.98 %
------------------	---	---------------------------------------------------------------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Exposure time: 28 d  
Method: OECD Test Guideline 301D

### **Ionone, methyl-:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 76 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### **Lavender, Lavandula hybrida, ext.:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### **p-tert-Butylcyclohexyl Acetate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 75 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.C.

### **Undec-10-enal:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 82 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### **Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### **4-Allyl-2- methoxyphenol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 82 %  
Exposure time: 28 d  
Method: Regulation (EC) No. 440/2008, Annex, C.4-E

### **3,7-Dimethyl 2,6-octadienal:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 90 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.

### **2-Methyldecan-1-al:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 77 %

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Undecenal:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 56 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Cineole:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 82 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 32.8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 310

## 12.3 Bioaccumulative potential

### Components:

#### methyl benzoate:

Partition coefficient: n-octanol/water : log Pow: 2.12

#### 2,2-Dimethyl 7-octen-2-ol:

Partition coefficient: n-octanol/water : log Pow: 3.25  
Method: OECD Test Guideline 117

#### Allyl (cyclohexyloxy)acetate:

Partition coefficient: n-octanol/water : log Pow: 2.8  
Method: OECD Test Guideline 117

#### Ionone, methyl-:

Partition coefficient: n-octanol/water : log Pow: > 4.5 - < 5

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### Lavender, *Lavandula hybrida*, ext.:

Partition coefficient: n-octanol/water	:	log Pow: > 4
Remarks: Expert judgement		

### p-tert-Butylcyclohexyl Acetate:

Bioaccumulation	:	Bioconcentration factor (BCF): < 500
-----------------	---	--------------------------------------

Partition coefficient: n-octanol/water	:	log Pow: 4.8
----------------------------------------	---	--------------

### Undec-10-enal:

Partition coefficient: n-octanol/water	:	log Pow: 4.672
Method: OECD Test Guideline 117		

### Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Partition coefficient: n-octanol/water	:	log Pow: 2.85
Remarks: Calculation		

### 4-Allyl-2- methoxyphenol:

Partition coefficient: n-octanol/water	:	log Pow: 1.83
----------------------------------------	---	---------------

### 3,7-Dimethyl 2,6-octadienal:

Partition coefficient: n-octanol/water	:	log Pow: 2.76
----------------------------------------	---	---------------

### 2-Methyldecan-1-al:

Partition coefficient: n-octanol/water	:	log Pow: 4.5
Method: OECD Test Guideline 117		

### Undecenal:

Partition coefficient: n-octanol/water	:	log Pow: > 4
Remarks: Expert judgement		

### (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one:

Bioaccumulation	:	Species: <i>Cyprinus carpio</i> (Carp)
	:	Bioconcentration factor (BCF): 8.4 - 20
	:	Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water	:	log Pow: 3.66
Method: OECD Test Guideline 123		

### Cineole:

Partition coefficient: n-octanol/water	:	log Pow: 3.4
----------------------------------------	---	--------------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

---

### Reaction mass of 1-(3,3-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one and 1-(5,5-dimethylcyclohex-1-en-1-yl)pent-4-en-1-one:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 117

Partition coefficient: n-octanol/water : log Pow: 4.5

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### SECTION 14: Transport information

#### 14.1 UN number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

#### 14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks	:	Not applicable for product as supplied.
---------	---	-----------------------------------------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:  
Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 75.24 %

#### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H226 : Flammable liquid and vapour.  
H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H332 : Harmful if inhaled.  
H336 : May cause drowsiness or dizziness.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Constant Air Freshener Breeze

Version	Revision Date:	SDS Number:	Date of last issue: 08.10.2024
1.1	02.06.2025	11448231-00002	Date of first issue: 08.10.2024

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Skin Sens. 1	H317
Aquatic Chronic 3	H412

### Classification procedure:

Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN